

AMENDMENT AND PRESENTATION OF CLAIMS

Please replace all prior claims in the present application with the following claims.

1. (Currently Amended) A method of delivering an object relating to a broadcast media stream to a user terminal of a mobile radio system, the method comprising: comprising facilitating a processing of and/or processing (1) data and/or (2) information and/or (3) at least one signal, the (1) data and/or (2) information and/or (3) at least one signal based, at least in part, on the following:

broadcasting the media stream by a broadcast system;

associating the object to the media stream in the broadcast system;

delivering an object identification of [[the]] an object and a widget wirelessly received from [[the]] a broadcast system to at least one user terminal, system, the object being associated and synchronized to a broadcast media stream broadcast by the broadcast system,

presenting a determination to cause, at least in part, a presentation of the object identification and the widget in synchronization with the media stream in [[the]] a user terminal,

sending, a determination to cause, at least in part, a transmission of, if a user requests [[the]] a delivery of the object based on the object identification, a transaction signal with the object identification from the user terminal to a database of at least one object through [[the]] a mobile radio system by activating the widget, and

delivering the object of the object identification received from the database to the user terminal, which sent the request signal, through the mobile radio system.

2. (Currently Amended) The method of claim 1, ~~the method further comprising providing the broadcast system with~~ wherein the broadcast system includes object identifications of [[the]] objects that are available in a database of an object provider.

3. (Currently Amended) The method of claim 1, ~~the method further comprising creating the~~ wherein objects and [[the]] object identifications are created in the broadcast system and saving the objects are saved in a database.

4. (Currently Amended) The method of claim 1, ~~the method further comprising delivering wherein the (1) data and/or (2) information and/or (3) at least one signal are further based, at least in part, on receiving~~ the object identification from the broadcast system [[to]] at at least one user terminal through the mobile radio system.

5. (Currently Amended) The method of claim 1, ~~the method further comprising delivering wherein the (1) data and/or (2) information and/or (3) at least one signal are further based, at least in part, on receiving~~ the object identification from the broadcast system [[to]] at at least one user terminal as an RDS broadcast.

6. (Currently Amended) The method of claim 1, ~~the method further comprising wherein the (1) data and/or (2) information and/or (3) at least one signal are further based, at least in part, on a determination to cause, at least in part, a transmission of sending~~ the transaction signal from the user terminal directly to the database of the object provider through the mobile radio system.

7. (Currently Amended) The method of claim 1, ~~the method further comprising wherein the (1) data and/or (2) information and/or (3) at least one signal are further based, at least in part, on a determination to cause, at least in part, a transmission of sending first the transaction signal from the user terminal to a server serving the broadcast system through the mobile radio system, wherein and sending a signal is transmitted with the object identification from the server to the database of the object provider.~~

8. (Currently Amended) The method of claim 1, ~~the method further comprising associating wherein the object identification is associated to the media stream such that the object identification is attached to a broadcasting timeline of the media stream, and delivering the object identification is received in accordance with the broadcasting timeline of the media stream.~~

9. (Currently Amended) The method of claim 1, ~~the method further comprising recording and processing the transfer of wherein each object is recorded and transferred to the user terminals terminal by means of a transaction processing device.~~

10. (Currently Amended) The method of claim 1, ~~the method further comprising wherein the (1) data and/or (2) information and/or (3) at least one signal are further based, at least in part, on a determination to cause, at least in part, the identification of identifying the format of the object identification and the object by means of the user terminal, object, the identifying revealing information, including the supporting application needed, additional rights pertaining to the object, forwarding limitations associated with the object, or any combination thereof.~~

11. - 20. (Canceled)

21. (Currently Amended) A ~~user terminal of a mobile radio system~~, wherein the user terminal is configured to An apparatus comprising:

at least one processor; and

at least one memory including computer program code for one or more programs,

the at least one memory and the computer program code configured to, with the at least one processor, cause the apparatus to perform at least the following,

receive an object identification of an object and a widget wirelessly from a broadcast system, the object being associated and synchronized to [[the]] ~~a~~ broadcast media stream [[in]] broadcast by the broadcast system,

~~present~~ determine to cause, at least in part, a presentation of the object identification and the widget in synchronization with the media stream in [[the]] ~~a~~ user terminal,

~~send;~~ determine to cause, at least in part, a transmission of, if a user requests [[the]] ~~a~~ delivery of the object based on the object identification, a transaction signal with the object identification of at least one object through [[the]] ~~a~~ mobile radio system to a database by activation of the widget, and

~~receive~~ the object of the object identification delivered ~~is received~~ from the database through the mobile radio system.

22. (Currently Amended) The ~~user terminal apparatus~~ of claim 21, wherein the ~~user terminal apparatus~~ is configured further caused to receive the object identification from the broadcast system through the mobile radio system.

23. (Currently Amended) The user terminal apparatus of claim 21, wherein the user terminal apparatus is econfigured further caused to receive the object identification from the broadcast system as an RDS broadcast.

24. (Currently Amended) The user terminal apparatus of claim 21, wherein the user terminal apparatus is econfigured further caused to determine, at least in part, to transmit to send a transaction signal directly to the database of the object provider through the mobile radio system.

25. (Currently Amended) The user terminal apparatus of claim 21, wherein the user terminal apparatus is econfigured further caused to determine, at least in part, to transmit to send a transaction signal from the user terminal to a server serving the broadcast system through the mobile radio system, the server then sending is configured to transmit a signal with the object identification to the database of the object provider.

26. (Currently Amended) The method of claim 1, further comprising wherein the (1) data and/or (2) information and/or (3) at least one signal are further based, at least in part, on receiving the widget before or during a piece of media stream.

27. (Canceled)

28. (Currently Amended) The user terminal apparatus of claim 21, wherein the user terminal apparatus is econfigured further caused to receive the widget before or during a corresponding piece of media stream.

29. (New) A computer-readable storage medium carrying one or more sequences of one or more instructions which, when executed by one or more processors, cause an apparatus to at least perform the following steps:

receiving an object identification of an object and a widget from a broadcast system, the object being associated and synchronized to a broadcast media stream broadcast by the broadcast system,

determining to cause, at least in part, presenting the object identification and the widget in synchronization with the media stream in a user terminal,

determining to cause, at least in part, transmitting, if a user requests a delivery of the object based on the object identification, a transaction signal with the object identification of at least one object through a mobile radio system to a database by activation of the widget, and

the object of the object identification is received from the database through the mobile radio system.

30. (New) The computer-readable storage medium of claim 29, wherein the apparatus is further caused to perform receiving the object identification from the broadcast system through the mobile radio system.

31. (New) The computer-readable storage medium of claim 29, wherein the apparatus is further caused to perform receiving the object identification from the broadcast system as an RDS broadcast.

32. (New) The computer-readable storage medium of claim 29, wherein the apparatus is further caused to perform determining, at least in part, to transmit a transaction signal directly to the database of the object provider through the mobile radio system.

33. (New) The computer-readable storage medium of claim 29, wherein the apparatus is further caused to perform determining, at least in part, to transmit a transaction signal from the user terminal to a server serving the broadcast system through the mobile radio system, the server is configured to transmit a signal with the object identification to the database of the object provider.

34. (New) The computer-readable storage medium of claim 29, wherein the apparatus is further caused to perform receiving the widget before or during a corresponding piece of media stream.